



RECEIVED

JUL 23 2002

TECH CENTER 1600/2900

SEQUENCE LISTING

<110> Vasta, Gerardo R.
Marsh, Adam G.
Fernandez-Robeldo, Jose A.
Coss, Cathleen A.
Wright, Anita C.

<120> Assay for Perkinsus in Shellfish

<130> 4115-137 CIP

<140> US 09/771,935

<141> 2001-01-30

<150> US 08/900,117

<151> 1997-07-25

<150> US 60/023,345

<151> 1996-07-26

<160> 25

<170> PatentIn version 3.1

<210> 1

<211> 1150

<212> DNA

<213> Perkinsus marinus

<400> 1

```
aaagtcgcac ctttcccat aaacccctc cccacccctc tggacattgt tccacttttc      60
acttgatttg tgaagcacc aatgctagcc catagaacag tccagtagtt caatagagag      120
actagtgaac atagtttata acattgtcca aggggtggag ggggatgcgc gaaatcgatg      180
tgcacgtttg gtcaaagatg ctgcgaaag ctgcacatca atttcgcaca tgggcgaaat      240
tgacttgcat gtgggtataa aagttgatgt aggccatgtg gctcgatttc aaccatatgg      300
gtatgcttct gaggatggg tggtacagtg gaccatatga ggtaggtcat ttggagatgt      360
caccaaatg gtctaaatct gcgcattcca tttaagtga tttaagtga atttaagtga      420
attttactta aaattgacct ttttcgttc gcagatttgg ggtggtgatg ggtgacgcgg      480
cgaatttttt aaaaagagg tatatcgct gctatttgta tttttggtat caccgcgtca      540
ccaatcacca ttgacggttt ctttttcgaa gtttttcgg attattgcat tttttatata      600
attgtgggtg gctgattctt gcgaaaggac tggttgatg tccgagttcc caaattggga      660
gtttttggac atcactcctg atctgccggc ggcgatcagg atgactgaca ttctgatata      720
ttttgggtat tcgatagctg ccaaatcggt cagcgtcgag tattccggtt tattcgaagg      780
attcatgata ttgcaaaata tcattgattt tcatggggtt ttgtattagt acccgctcat      840
tgtgggaaag tcgggtggat ttatcttacc cgcaaatcta atacaagatt tgcgatgatc      900
agcaatagac caaggttagt atagcagttg tatttatatg actagttatg caaaccttt      960
gtgttttttg ttgcgactct tggcgtgaac cggaagaccg gacctcgctt tcgactattc     1020
```

```

atctttgatg gatatgagat cgcaagggtg tcgcttcgtg cgatathtag tgaccatcag 1080
agcacgctac gacttttgat tatatccttg gatttaatcg gaagctcgca agcattgcat 1140
tgatgcaatc 1150

```

```

<210> 2
<211> 1550
<212> DNA
<213> Perkinsus sp.

```

```

<220>
<221> gene
<222> (1)..(1550)
<223> The nucleotide sequence of the NTS of rRNA of P. andrewsi, isolat
      ed form Macoma balthica.

```

```

<400> 2
ttttcatttt tgctttcaca accccgcacc ccatgtacaa tgttgccaac cactagagtt 60
tcaacaacat tcggatttga caacatgtca acaattcaca acagaaattg acaacattgt 120
cacaaattct caaattggac aacattggac aaaaattcac aacatacatt ggacaacagt 180
ggacaacgaa cccaaaccg acaacattgt ccagggggat agggggtgaa aaagcagtgc 240
cggcaaagtc gaaagatgtc aagttggaat gcggtcaca ttcgtcattt gtgtaaatcc 300
gcaattttgc caatgtgcaa ttttgcaaat gtgcaatttt gcaaatgtgc aattttgcca 360
atgtgcaatt ttgcaaatgc gcaattttgc aaatccgcaa ttttgcaaat gtgcaatttt 420
ggaaaatcac caaatgaaa tcgtccaagt cgaattggag gcgtggtgac atggtcccgg 480
gatcccctgg ttacagtgga caatatccca gcaatattcg ctgtaatttg gagtttcgct 540
gttttggaac attttgagtc tgaaaaaaaa aattgcaaat gcgcaaaggg ggtgaaggaa 600
aaaaaagcac cccgaaggt aaaattccct ttaagtcct tgcgcatattg caaaattttc 660
aaaaattggt gcaaatgcgc ttttggtatt tggccggttc attggtgtca aaagttgcct 720
ggggtggtta cacaatgcac ggaattgggt ggaagtgtg tgattgaaaa ttggtcgtgt 780
cacacaattt tgcgcatattg caaaaattcg caaattggac aaaaaagggt cgcgcacagt 840
caaattgcgc aaatttcact ttgaagtgag tcgcgcatattg tggggcagaa atgtggtgac 900
agcatcgttt ttataataa atattctata ttagtatct ttattataat ttgctgtcac 960
caatcaccat tttagaattt ttattttttt atgttttagt gaccgcggga ttttttgcaa 1020
agtactattg tgatgtttga gttgtttgaa atgggcaatt tagaacatca tcagaaatcg 1080
ctgaatagtg atttttgagt ttgactgttt gaagtgtttt gggatttcgg cagctgccaa 1140
atcggtcagc gtgcaatata atagcatttt tgtgtgtata tgatathtag cgatatcatt 1200
ggaatcatgg ggttttgtat tagtaccgc tcattgtggg aatgtcgggt ggttcaatat 1260
cacctgcaaa ttaatacag gatttgcatg atgcagcgac tgaccggggt tggataata 1320

```

gctgattatt cggccttatta tgcagaccta tcgtgttagt agttgcgact cttggcgtga 1380
 accggaagac cggaacttga attcgactat ttacgtccgt aaacaggaga tttcaagaat 1440
 attgcacatt ttgcgtgata taaacgtgat catctgagca cgcttcgact cttggatata 1500
 tgctaatacag ccgtcatctg agagctcgca agcattgcaa ttgatgcaat 1550

<210> 3
 <211> 1413
 <212> DNA
 <213> Perkinsus sp.
 <220>
 <221> gene
 <222> (1)..(1413)
 <223> The nucleotide sequence of the NTS of rRNA of Perkinsus mackini,
 isolated from Mercenaria mercenaria.

<400> 3
 cgtgcccttt tcacgaattc acagccccgc accccatgta caatgttgcc cacccgaaat 60
 gcctgcctgc ccacccgaaa tgcccgaat gcccgtaga aaaagtatgc gaaaagttct 120
 tgtcaatttt gacagtgtgt gaaaaaactg aaaaagtcca ctcaacattg cattatgcaa 180
 tttgccactc aacattgtcc agggggatag ggggtgaaaa agtatcgag tccaactgaa 240
 aagatgctaa gttgaaatgc ggcgcaaatt catcacttga gttgcgaaaa tccctaaagt 300
 cgaatttggc actcgggtgac atgatcgga atttccctgg ttacagtggc caaatcccag 360
 caattttggc aaagtttttg agtttcgcac ttttcgcaa tttcgtgtct gaaaaaaaaa 420
 tttcaacttt gcgcaaagg gtcaaaggga aaaaaagcac cctcaaaagg aaatttcct 480
 ttaatccct ttgaaaaaaaa tgcgcaaagt taaatttgcg aaaatttcga ttttctcata 540
 tgaccgatta gttggtgcc gatggtatgc gggatggtta cacggtgcac ggaactcgtt 600
 ggaagtcttg gagttacgaa ttggtccgt caccacaatt tgcgcatttt tgaaattgcg 660
 caaatttgcg aaaaaagcag cgcgcaaagt taaattgtgc gaaaattgac tttcaggtcg 720
 gtgcgcaaat ttggggtgaa aaagtgtga cagcatcaga attataataa ataactata 780
 atctagttct tttattataa ttagctgtca ccaatcacca ttgagattt tttatttttt 840
 tatgttttag tgaccgcgtt attttttcca gagtactatc gtgatgtctg agttgtctaa 900
 aacggcaatt tcagaacatt accagaaaac actgaatagt ggtttctgag tctgactgtt 960
 tgaagtgttt tgggtattcg gcagctgcc aatcggtcag ggttgaatat actaacattt 1020
 ctgtgtgtat atgggtattt gcgatatcat tggaatcatg gggttttgta ttagtaccg 1080
 ctcatgtgg gaaagtcggg tggttcaata tcacctgcaa atttaataca ggatttgcac 1140
 gatgcagcga ctgaccggg ttagtataat agctgattat tcggcttatt atgcagacct 1200
 atcgtgttag tagttgcgac tcttggcgtg aaccggaaga ccggaacttg atttcgacta 1260

tttacgtccg taacacgtcc gtaaacagga gatttcaaga atattgcaca ttttgtgtga 1320
 tataatcgtg atcatctgag cagccttcga ctcttgaata tttgttaaac aaccgatatt 1380
 cgggagctcg caagcattgc aattgatgca atc 1413

<210> 4
 <211> 21
 <212> DNA
 <213> Perkinsus marinus

<220>
 <221> misc_feature
 <222> (1)..(21)
 <223> Forward primer (5'-3').

<400> 4
 cacttgtatt gtgaagcacc c 21

<210> 5
 <211> 21
 <212> DNA
 <213> Perkinsus marinus

<220>
 <221> misc_feature
 <222> (1)..(21)
 <223> Reverse primer (5'-3').

<400> 5
 ttggtgacat ctccaaatga c 21

<210> 6
 <211> 20
 <212> DNA
 <213> Perkinsus marinus

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> Forward primer (5'-3').

<400> 6
 atgctagccc atagaacagt 20

<210> 7
 <211> 20
 <212> DNA
 <213> Perkinsus marinus

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> Reverse primer (5'-3').

<400> 7
 atgctagccc acatcacagc 20

<210> 8
 <211> 22
 <212> DNA
 <213> Perkinsus atlanticus

<220>
 <221> misc_feature
 <222> (1)..(22)
 <223> Forward primer (5'-3')

<400> 8
 atgctatggt tggttgcgga cc 22

<210> 9
 <211> 20
 <212> DNA
 <213> Perkinsus atlanticus

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> Reverse primer (5'-3')

<400> 9
 gtagcaagcc gtagaacagc 20

<210> 10
 <211> 24
 <212> DNA
 <213> Perkinsus sp.

<220>
 <221> misc_feature
 <222> (1)..(24)
 <223> NTS7 forward primer (5'-3') for Perkinsus andrewsi

<400> 10
 aagtcgaatt ggaggcgtgg tgac 24

<210> 11
 <211> 20
 <212> DNA
 <213> Perkinsus sp.

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> NTS6 reverse primer for Perkinsus andrewsi

<400> 11
 attgtgtaac caccccaggc 20

<210> 12
 <211> 19
 <212> DNA
 <213> Perkinsus sp.

<220>
 <221> misc_feature
 <222> (1)..(19)
 <223> Generic forward primer (5'-3') PER1 for P. marinus, P. atlanticus
 and P. andrewsi.

<400> 12
 tagtaccgc tcattgtgg 19

<210> 13
 <211> 17
 <212> DNA
 <213> Perkinsus sp.

<220>
 <221> misc_feature
 <222> (1)..(17)
 <223> Generic reverse PER2 primer (5'-3') for P. marinus, P. atlanticus
 and P. andrewsi

<400> 13
 tgcaatgctt gcgagct 17

<210> 14
 <211> 22
 <212> DNA
 <213> Perkinsus sp.

<220>
 <221> misc_feature
 <222> (1)..(22)
 <223> Forward SSU3F primer (5'-3') for P. andrewsi

<400> 14
 agttggattt ctgccttggg cg 22

<210> 15
 <211> 22
 <212> DNA
 <213> Perkinsus sp.

<220>
 <221> misc_feature
 <222> (1)..(22)
 <223> Forward SSU4F primer (5'-3') for P. andrewsi

<400> 15
 accaggtcca gacataggaa gg 22

<210> 16
 <211> 712

<212> DNA
 <213> Perkinsus sp.
 <220>
 <221> misc_feature
 <222> (1)..(712)
 <223> A nucleotide sequence of the ITS1-5.8. S ITS2 regions of P. andre
 wsi

<400> 16
 acaccgattc attctctgag aaaccagcgg tctctgtaaa aggagatggg atctccgctt 60
 tgtttagatc cccacacctg accgctttaa cgggccgggt aggtgcataa cttctatgaa 120
 ccaattgtac tagtctaaag tatccaatat ctttttgat tttggtattt caaaacgaaa 180
 ttccaaactc tcaacgatgg atgcctcggc tcgagaatcg atgaaggacg cagcgaagtg 240
 cgataagcac tgcgatttgc agaattccgt gaaccagtag aaatctcaac gcatactgca 300
 caaaggggat ttatcctctt tgtacatata tatcagtgtc gctcttcttc ccgatacaaa 360
 cattttgttg atttacaatc aacattatgc tttgtatccc gcttgattc ctttattggg 420
 atccgctgtg tgcgcttgct gacacaggcg cattaatttg caaggctata atactactgt 480
 actgtagccc cttcgcaaga aggactgcgc tagtgagtat ctttgatgc tcgcgaactc 540
 gactgtgttg tgggtgattc cgtgttcctc gatcacgga ttcatcgctt caacgcatta 600
 tgtcaaattt gatgaatgca gagagtgtt tatgaattac gcgatcgctt tgggtctcaga 660
 atcgttacta tagcacgctt gtcggtttgc aacctggcaa tatgtcatca tt 712

<210> 17
 <211> 1808
 <212> DNA
 <213> Perkinsus sp.
 <220>
 <221> misc_feature
 <222> (1)..(1808)
 <223> A nucleotide sequence of the SSU rRNA of P. andrewsi

<400> 17
 acctgggtga tcctgccagt agtcatatgc ttgtctcaaa gattaagcca tgcattgtta 60
 agtataagct ttaaaccggcg aaactgcgaa tggctcatta aaacagttat agtttatttg 120
 gtgatcgatt actatttggg taaccgtagt aattctagag ctaatacatg cgtcaaggcc 180
 cgacttcgga agggctgcgt ttattagata cagaaccaac ctagctccgc ctagtccttg 240
 ttggtgattc ataataaccc ggcgaatcgc acggcttgtc cggcgatgga ccattcaagt 300
 ttctgaccta tcagctatgg acggtagggt attggcctac cgtggcggtg acgggtaacg 360
 gggaattagg gttcgattcc ggagagggag cctgagaaac gactaccaca tctaaggaag 420
 gcaacaggcg cgcaaattac ccaatcctga tacaggagg tagtgacaag aaataacaat 480

```

acagggcaat tctgtcttgt aattggaatg agtagatttt aaatctcttt acgagtatca    540
attggagggc aagtctgggtg ccagcagccg cggtaattcc agctccaata gcgtatatta    600
aagttgttgc ggtaaanaag ctctagtttg gatttctgcc ttgggcgacc ggtccacctt    660
tcctacgggt taggttggtg ccaggtttga ccttggcttt ttcttgggat tctgtctcac    720
gcacttaact gtgcgctgac cgtgttccaa gacttttact ttgaggaaat tagagtgttt    780
caagcaggct tatgccgtga atacattagc atggaataat aggatatgac tttggtcata    840
ttttgttggg ttctaggact gaagtaatga ttaataggga cagtcggggg cattcgtatt    900
taactgtcag aggtgaaatt cttggatttg ttaaagacga actactgcca aagcatttgc    960
caaggatggt ttcattgatc aagaacgaaa gttaggggat cgaagacgat cagataccgt   1020
cctagtctta accataaact atgccgacta gggattggga gtcgttaatt ttagacgctc   1080
tcagcacctc gtgagaaatc aaagtctttg ggttccgggg ggagtatggt cgcaaggctg   1140
aaacttaaag gaattgacgg aagggcacca ccaggagtgg agcctgcggc ttaatttgat   1200
tcaacacggg aaaactcacc aggtccagac ataggaagga ttgacagatt gatagctctt   1260
tcttgattct atgggtgggt gtgcatggcc gttcttagtt ggtggagtga tttgtctggt   1320
taattccgtt aacgaacgag accttaacct gctaaatagt tgcgtgaaat cttgtatttc   1380
accgctactt cttagaggga ctttgtgtgt ttaacacaag gaagcttgag gcaataacag   1440
gtctgtgatg cccttagatg ttctgggctg cacgcgcgct aactgacac gatcaacgag   1500
tatttccttg cccggtaggg ttagggtaat cttttgaaat cgtgtcgtgc tagggataga   1560
cgattgcaat tattcgtctt caacgaggaa ttcctagtaa atgcaagtca tcagcttgcg   1620
ttgattacgt cctgcccctt tgtacacacc gcccgtcgct cctaccgatt gagtgatccg   1680
gtgagctgtc cggactgcga ttagttcagt ttctgttctt ttgcgggaa gttctgcaaa   1740
ccttatcact tagaggaagg agaagtcgta acaaggtttc cgtaggtgaa cctgcagaag   1800
gatcattc                                     1808

```

```

<210> 18
<211> 1147
<212> DNA
<213> Perkinsus atlanticus

```

```

<220>
<221> misc_feature
<222> (1)..(1147)
<223> A nucleotide sequence of the NTS of rRNA of P. atlanticus

```

```

<400> 18
tctttttaa tgcactcat ggcttgtgca tgcgtgcaag ccccgaggc cccctggaca    60
atgttatccc agctcaacaa cgagcaacag tgctatggca agtagtcac tagagagcca   120
agtcgacaat ctctacaaca ttgtccaagg gggaaagggg ggcgcgcgaa gttgacctgc   180

```



```

agcagagggga aaagatgctg agttttgctg caccccaact ttgcgcactt ggcgaagttg      240
acttgcaggc gagggtaaaa gatgctatgg ttggttgctg accaagtctg ccgtgtgggt      300
catcattatc gaggtctgtg gtgacgatgg actagttttt agggattttc cggaggtgtc      360
accacggacc cccaactttt gcgcacgggg ggtactcaat tttaagtga atttaagtaa      420
aatttactta aaattcacgt ttttgggtgc gcaaagtga ggtggtgact ggtgacacga      480
aaattttaaa aaagagagat attaaaaaaa tatttatatt ttctgtgtca ccgtgtcacc      540
agtcaccaca gggcgtaatt ttccgggaaa ttttcagatt ttccggaaaa attgcatttt      600
ggggtaaaata gtgtccgtca gaattttgcc aaaggactgt cgtgatgtcc gagttcccaa      660
attgagggtt tttggacatc gctctgaaat cgctaacggc gtttcagatt tccgactttt      720
cgacatatct tgggtatttg atagctgcc aatcggtcag cgtcgaatat tccaatattt      780
cgaaggatat atgatatcgc gagatatcat tggatttcat ggggttttgt attagtaccc      840
gctcatcgtg ggaaagtcgg gtgaatttat tcaaccgcga aatctaatac aagatttgca      900
tgatgcagcg actgaccggg gtgagtgtag cagctgttct acggcttgct acgcagacct      960
atcgtgttag tagttgcgac tcttggcgtg aaccggaaga ccggacctcg ctttcgacta     1020
ttcattccga tgaatatgag attgcaaggg tatcgcttcg tgcgatattt agtgatcatc     1080
agagcacgct acgacttcag tatatcctcg gatacacaga agctcgcaag cattgcatga     1140
tgcaatc                                           1147

```

```

<210> 19
<211> 19
<212> DNA
<213> Perkinsus sp.

```

```

<220>
<221> misc_feature
<222> (1)..(19)
<223> Generic forward PER1 primer (5'-3') for P. marinus

```

```

<400> 19
tagtaccgc tcacgtgg                                           19

```

```

<210> 20
<211> 20
<212> DNA
<213> Perkinsus marinus

```

```

<400> 20
atgctagccc atagaacagt                                           20

```

```

<210> 21
<211> 20
<212> DNA
<213> Perkinsus marinus

```

```

<400> 21
catctcctaaa tgacctacct                                20

<210> 22
<211> 20
<212> DNA
<213> Perkinsus marinus

<400> 22
atgctagccc acatcacagc                                20

<210> 23
<211> 20
<212> DNA
<213> Perkinsus marinus

<400> 23
catctcctaaa tgacctacca                                20

<210> 24
<211> 307
<212> DNA
<213> Perkinsus marinus

<400> 24
cacttggtatt gtgaagcacc caatgctagc ccatagaaca gtccagtagt tcaatagaga    60
gactagttaa catagtttat aacattgtcc aaggggtgga gggggatgcg cgaaatcgat    120
gtgcacgttt ggtcaaagat gctcgcgaaa gctgcacatc aatttcgcac atgggcgaaa    180
ttgacttgca ggtgggtata aaagttgatg taggccatgt ggctcgattt caaccatatg    240
ggatatgcttc tgaggatggg gtgttacagt ggaccatata aggtaggtca tttggagatg    300
tcaccaa                                           307

<210> 25
<211> 307
<212> DNA
<213> Perkinsus marinus

<400> 25
cacttggtatt gtgaagcacc caatgctagc ccacatcaca gcccagtagt tcaatagaga    60
gacgagttaa catagtttat aacattgtcc aaggggtgga gggggatgcg cgaaatcgat    120
gtgcacgttt ggtcaaagat gctcgcgaaa gctgcacatc aatttcgcac atgggcgaaa    180
ttgacttgca ggtgggtata aaagttgatg taggccatgt ggctcgattt caaccatatg    240
ggatatgcttc tgaggatggg gtgttacagt ggaccatatg tggtaggtca tttggagatg    300
tcaccaa                                           307

```